Living Donor Committee Update

Connie Davis, MD
Chair

Board Meeting November 14-15, 2011



Policy 12.8.4 - Submission of Living Donor Death and Organ Failure Data

Transplant programs must report all instances of living donor deaths and failure of the living donor's native organ function within 72 hours after the program becomes aware of the living donor death or failure of the living donors' native organ function... through the UNetSM Patient Safety System... for a period of two years from the date of the donation. The MPSC will review and report all adverse events to the Board.



Background


- In response to several recent and publicized living donor deaths, the Committee questioned if living donor deaths might be increasing.
- The data did not reveal a trend of increasing liver and kidney donor deaths by year since January 1, 2000
- The committee requested regular updates to these data, as well as further analysis of the causes of donor deaths.



Results



Living Kidney Donors 1988 – 2010





Living Kidney Donor Deaths




Living Kidney Donor Deaths

Categories for Donor Cause of Death:

- Cancer
- Suicide
- Accident/Homicide/Line of Duty
- Medical in Nature (not necessarily related to donation)
- Other/Unknown



Living Kidney Donor Deaths within 30 days of Donation*




Year of Donation
Living kidney donors 10/25/99 - 03/31/11
*Excludes 3 pre-donation causes of death






Living Kidney Donor Deaths 31-90 Days Post-Donation








Living Kidney Donor Deaths 91-365 Days Post-Donation



Year of Donation
Living kidney donors 10/25/99 – 03/31/11




Living Kidney Donor Deaths 1-2 Years Post-Donation



Living kidney donors 10/25/99 – 12/31/10



Living Kidney Donor Deaths Within 2 Years of Donation




Year of Donation
Living kidney donors 10/25/99 – 3/31/11
*Excludes 3 pre-donation causes of death






Living Kidney Donor Deaths Within 2 Years of Donation





Living Liver Donors 1988– 2010






Living Liver Donor Deaths




Living Liver Donor Deaths within 30 days of Donation



Living liver donors 10/25/99 - 3/31/11




Living Liver Donor Deaths 31-90 Days Post-Donation



Living liver donors 10/25/99 - 3/31/11




Living Liver Donor Deaths 1-2 Years Post-Donation








Living Liver Donor Deaths within 2 Years of Donation



Living liver donors 10/25/99 – 3/31/11 Year of Donation



Living Liver Donor Deaths within 2 Years of Donation







Conclusions

 Living donation is associated with some mortality.

Not all of the mortality in living donors within 2 years of donation is related to donation.

No major recent trend in post-operative mortality.

UNOS DONATE LIFE

Requests for Board Consideration

- Learning from living donor deaths
- Power of data and dissemination
- Concerns for liability
- Living donor liaisons

